

**Amendment to the Claims:**

The listing of claims will replace all prior versions, and listings of claims in the application:

**Listing of Claims:**

Claims 1-18 (Cancelled). Without disclaimer or prejudice.

19. (Currently Amended) A communication unit comprising:

a cover part which is removable from a remainder of the communication unit, ~~with the remainder of the communication unit, when the cover part is removed,~~ including a cavity containing internal parts of the communication unit including a display which displays information to a user during use of the communication unit which are not accessible to ~~a the~~ user during use; and

a picture holder releasably holding a picture and holding the picture inside the cavity for viewing through the cover part by the user during use of the communication unit, and wherein

during use of the communication unit the cover part is not removed and the cavity is closed.

20. (Previously Presented) A communication unit in accordance with claim 19 wherein:

the cover part is a front cover part of a mobile phone and the picture is releasably held by attachment of the picture holder to an internal part of the communication unit within the cavity.

21. (Previously Presented) A communication unit in accordance with claim 19 wherein:

the cover part is a back cover part of a mobile phone and the picture holder is located on an inside surface of the back cover part which faces the cavity.

22. (Previously Presented) A communication unit in accordance with claim 19 wherein the picture holder comprises:

a picture guide including a holding flap of plastic film which at one end is attached to the cover part and has an adhesive strip in a middle part of the flap.

B1

23. (Previously Presented) A communication unit in accordance with claim 20 wherein the picture holder comprises:

a picture guide including a holding flap of plastic film which at one end is attached to the cover part and has an adhesive strip in a middle part of the flap.

24. (Previously Presented) A communication unit in accordance with claim 22 wherein:

the adhesive strip holds a picture while in the picture guide.

25. (Previously Presented) A communication unit in accordance with claim 23 wherein:

the adhesive strip holds a picture while in the picture guide.

26. (Previously Presented) A communication unit in accordance with claim 22 wherein

the picture guide includes stickers placed at four corners of the picture.

27. (Previously Presented) A communication unit in accordance with claim 23 wherein

the picture guide includes stickers placed at four corners of the picture.

28. (Previously Presented) A communication unit in accordance with claim 22 wherein:

the picture guide includes plastic film that is attached to the cover plate along three sides of the plastic film.

29. (Previously Presented) A communication unit in accordance with claim 23 wherein:

the picture guide includes plastic film that is attached to the cover plate along three sides of the plastic film.

30. (Previously Presented) A communication unit in accordance with claim 22 wherein:

the picture guide includes an adhesive transparent film on which a picture is placed that is attached to the cover part.

31. (Previously Presented) A communication unit in accordance with claim 23 wherein:

the picture guide includes an adhesive transparent film on which a picture is placed that is attached to the cover part.

32. (Previously Presented) A communication unit in accordance with claim 20 wherein:

the picture holder is associated with a display assembly for displaying text and numbers to the user.

33. (Previously Presented) A communication unit in accordance with claim 32 wherein:

the picture is inserted into the holder and the picture comprises a sheet having at least one picture and an extractive part and the at least one picture is substantially a same size as the display and the extractive part projects from a slot between the display and an internal light guide of the communication unit.

34. (Previously Presented) A communication unit in accordance with claim 33 wherein:

the holder includes an insert on which the picture is mounted and the insert is inserted into the slot between the display and the light guide.

b1 35. (Currently Amended) In a communication unit including a cover part which is removable from a remainder of the communication unit, ~~with the remainder of the communication unit, when the cover part is removed,~~ including a cavity containing internal parts of the communication unit including a display which displays information to a user during use of the communication unit which are not accessible to ~~a the~~ user during use, and a picture holder releasably holding a picture and holding the picture inside the cavity for viewing through the cover part by the user during use of the communication unit and wherein during use of the communication unit the cover part is not removed and the cavity is closed, a method comprising:

choosing a picture to be releasably held by the picture holder;

placing the picture in the picture holder; and

attaching the cover part to the remainder of the communication unit to close the cavity.

36. (Currently Amended) In a communication unit including a cover part which is removable from a remainder of the communication unit, ~~with the remainder of the communication unit, when the cover part is removed,~~ including a cavity containing internal parts of the communication unit including a display which displays information to a user during use of the communication unit which are not accessible to ~~a the~~ user during use, and a picture holder releasably holding a picture and holding the picture inside the cavity for viewing through the cover part by the user during use of the communication unit, and wherein during use of the communication unit the cover part is not removed and the cavity is closed, a method comprising:

removing a picture held by the picture holder;  
replacing the picture in the holder; and  
attaching the cover part to the remainder of the communication unit to  
close the cavity.

B1 37. (Currently Amended) In a communication unit ~~comprising~~ including a cover part which is removable from a remainder of the communication unit, ~~with the remainder of the communication unit, when the cover part is removed,~~ including a cavity containing internal parts of the communication unit including a display which displays information to a user during use of the communication unit, which are not accessible to ~~a the~~ user during use, and a picture holder releasably holding a picture and holding the picture inside the cavity for viewing through the cover part by the user during use of the communication unit and wherein during use of the communication unit the cover part is not removed and the cavity is closed, the cover part comprising:

a picture guide provided for holding the picture.

38. (Previously Presented) The cover part of claim 37 wherein:

the picture guide includes a holding flap of a plastic film that is at one end attached to the cover part of the communication unit and has an adhesive strip in the middle part of the flap.

39. (Previously Presented) The cover part of claim 38 wherein:  
the adhesive strip in the middle part of the flap holds a picture in a same  
place while in the picture guide.

40. (Previously Presented) The cover part of claim 37 wherein:  
the picture guide includes stickers that are placed at four corners of the  
picture.

61  
41. (Previously Presented) The cover part of claim 37 wherein:  
the picture guide includes a plastic film that is attached to the cover part along  
three sides of the film.

42. (Previously Presented) The cover part of claim 37 wherein:  
the picture guide includes an adhesive transparent film on which a picture is  
placed that is attached to the cover part.

43. (Currently Amended) In a communication unit including a cover part  
which is removable from a remainder of the communication unit ~~with the remainder~~  
of the communication unit, ~~when the cover part is removed,~~ including a cavity  
containing internal parts of the communication unit including a display which displays  
information to a user during use of the communication unit which are not accessible  
to ~~a the~~ user during use, and a picture holder releasably holding a picture and  
holding the picture inside the cavity for viewing through the cover part by the user

during use of the communication unit and wherein during the use of the  
communication unit the cover part is not removed and the cavity is closed, a method  
comprising:

B1 choosing a picture to be releasably held by the picture guide;

placing the picture which has been chosen in the picture guide on the  
cover part; and

attaching the cover part to the remainder of the communication unit to  
close the cavity.

---